

### **Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in the application.

### **Listing of Claims:**

1. (Currently Amended) A bicycle rack intended in use to be supported from a support, the rack comprising a base adapted to be fixed to the support, a support member having an outer and an inner edge, the inner edge of the support member connected to the base to enable the support member to be pivotable about a first axis which in use is to be generally level, to be moveable between a first position, at which it is adjacent to the support and a second position at which it extends laterally from the support, the support member being adapted to receive and support a portion of the wheel of a bicycle between the edges, when the support member is in its second position.
2. (Previously Presented) A bicycle rack as claimed at claim 1 wherein the support member is provided with a slot shaped first space between the inner edge and the outer edge, wherein the first space is configured to receive the portion of the wheel.
3. (Previously Presented) A bicycle rack as claimed at claim 3 wherein the outer edge of the support member defines the outer end of the first space.
4. (Currently Amended) A bicycle rack as claimed at claim 3 wherein the outer end of the first space is closed.
5. (Previously Presented) A bicycle rack as claimed at claim 4 wherein the outer edge of the support member defines the closed outer end of the first space and the outer edge provides a guide and support surface for the wheel on its movement into and out of the first space.
6. (Previously Presented) A bicycle rack as claimed at claim 5 wherein the upper surface of the outer edge has a concave profile.
7. (Previously Presented) A bicycle rack as claimed at claim 3 wherein the inner end of the first space is defined by a transverse surface.

8. (Previously Presented) A bicycle rack as claimed at claim 7 wherein the transverse surface is provided by a cross member extending across the inner end of the first space.

9. (Previously Presented) A bicycle rack as claimed at claim 1 wherein, the rack further comprises a brace member, the brace member being pivotally supported from the base for pivotable movement about a second axis, the first and second axes being parallel and spaced from each other, the brace member being moveable with the support member such that, when the support member is in its second position, the brace member provides support to the support member.

10. (Previously Presented) A bicycle rack as claimed at claim 9 wherein the the support member and brace member are interengaged outward of their pivotable mountings such that movement of the support member causes the pivotable movement of the brace member.

11. (Currently Amended) A bicycle rack as claimed at claim 9 wherein the ~~the~~ brace member is provided with a second space which cooperates with the first space defined by the support member to provide a combined space which is configured to receive the portion of the wheel, wherein the second space provides an upright extent to the combined space while the first space provides a lateral extent to the combined space.

12. (Previously Presented) A bicycle rack as claimed at claim 1 wherein the rack further includes a storage shelf supported from a side of the support member to extend transversely outward from the support member.

13. (Previously Presented) A bicycle rack as claimed at claim 1 wherein the support member is pivotable from the base about a generally upright axis.

14. (Previously Presented) A bicycle rack supported from an upstanding support, the rack comprising a base fixed to the support, a support member having an outer and an inner edge, the inner edge of the support member connected to the base to enable the support member to be pivotable about a first axis which is generally level, to be moveable between a first position, at which it is adjacent to the support and a second position at which it extends laterally from the support, the support member being adapted to receive and support a portion of the wheel of a bicycle between the edges when the support member is in its second position.

15. (Previously Presented) A bicycle rack as claimed at claim 14 wherein the support member is provided with a first space which is adapted to receive the portion of the wheel between the inner edge and the outer edge.

16. (Previously Presented) A bicycle rack as claimed at claim 15 wherein the outer edge of the support member defines the outer end of the first space.

17. (Previously Presented) A bicycle rack as claimed at claim 16 wherein the outer end of the first space is closed.

18. (Currently Amended) A bicycle rack as claimed at ~~claim 1~~ claim 17 wherein the outer edge of the support member defines the closed outer end of the first space and the outer edge provides a guide and support surface for the wheel on its movement into and out of the first space.

19. (Previously Presented) A bicycle rack as claimed at claim 18 wherein the upper surface of the outer edge has a concave profile.

20. (Previously Presented) A bicycle rack as claimed at claim 15 wherein the inner end of the first space is defined by a transverse surface.

21. (Previously Presented) A bicycle rack as claimed at claim 20 wherein the transverse surface is provided by a cross member extending across the inner end of the first space.

22. (Previously Presented) A bicycle rack as claimed at claim 14 wherein the rack further comprises a brace member, the brace member being pivotally supported from the base for pivotable movement about a second axis, the first and second axes being parallel and spaced from each other, the brace member being moveable with the support member such that, when the support member is in its second position, the brace member provides support to the support member.

23. (Previously Presented) A bicycle rack as claimed at claim 22 wherein the support member and brace member are interengaged outward of their pivotable mountings such that movement of the support member causes movement of the brace member.

24. (Currently Amended) A bicycle rack as claimed at claim 22 wherein, the brace member is provided with a second space which cooperates with the first space defined by the support member to provide a combined space wherein the second space provides ~~and~~ an upright extent to the combined space while the first space provides a lateral extent to the combined space.

25. (Currently Amended) A bicycle rack as claimed at claim 14 wherein the ~~the~~ rack further includes a storage shelf supported from a side of the support member to extend transversely outwardly from the support member.

26. (Previously Presented) A bicycle rack as claimed at claim 14 wherein, the support member is pivotable from the base about a generally upright axis.

27. - 31. (Cancelled)